


Jinan Meide - Fig 130R Malleable Iron Reducing Tees

General Specifications

Available Black (Self-Colour) & HDG Galvanised
Cast Malleable Iron Fittings (Dimensions to BS EN 10242)
BSPT Taper/Taper Threaded (ISO 7-1)
BSI Kitemarked
Maximum Pressure: 25 bar
Temperature Range: -20°C - 300°C
ISO 9001 Accredited Manufacturer


Branch Reducing Tees




Nominal bore		Length Centre to face dim. A	Length to centre to face dim. B	Weight each	Nominal bore		Length Centre to face dim.A	Length to centre to face dim.B	Weight each
Metric	Imperial	mm	mm	kgs	Metric	Imperial	mm	mm	kgs
8x6	1/4x1/8	18.5	19	0.06	50x20	2x3/4	40	50	0.74
10x8	3/8x1/4	22	22.5	0.09	50x25	2x1	44	52	0.74
15x6	1/2x1/8	22	23	0.05	65x15	2 x 1 1/4	48	54	0.82
15x8	1/2x1/4	24	24	0.12	65x20	2 x 1 1/2	52	55	0.88
15x10	1/2x3/8	26	26	0.13	65x25	2 1/2 x 1/2	40	56	1.33
20x8	3/4x1/4	26	27	0.17	65x32	2 1/2 x 3/4	43	57	1.01
20x10	3/4x3/8	28	28	0.19	65x40	2 1/2 x 1/2	47	60	1.09
20x15	3/4x1/2	30	31	0.18	65x50	2 1/2 x 1 1/4	52	62	1.17
25x8	1x1/4	28	31	0.22	80x15	2 /12 x 1 1/2	55	63	1.24
25x10	1x3/8	30	32	0.29	80x20	2 1/2 x 2	61	66	1.37
25x15	1x1/2	32	34	0.28	80x25	3 x 1/2	42	64	1.62
25x20	1 x 3/4	35	36	0.27	80x32	3 x 3/4	43	65	1.4
32x10	1 1/4 x 3/8	32	36	0.33	80x40	3 x 1	51	67	1.47
32x15	1 1/4 x 1/2	34	38	0.35	80x50	3 x 1 1/4	55	70	1.59
32x20	1 1/4x3/4	36	41	0.40	80x65	3 x 1 1/2	58	71	1.67
32x25	1 1/4 x 1	40	42	0.43	100x15	3 x 2	64	73	1.81
40x10	1 1/2 x 3/8	34	39	0.50	100x20	3 x 2 1/2	72	76	2.14
40x15	1 1/2 x 1/2	36	42	0.44	100x25	4 x 1	56	81	2.49
40x20	1 1/2 x 3/4	38	44	0.47	100x32	4 x 1 1/4	60	84	2.63
40x25	1 1/2 x 1	42	46	0.51	100x40	4 x 1 1/2	61	84	2.76
40x32	1 1/2 x 1 1/4	46	48	0.58	100x50	4 x 2	70	86	2.91
50x10	2 x 3/8	36	46	0.60	100x65	4 x 2 1/2	84	92	3.23
50x15	2 x 1/2	38	48	0.65	100x80	4 x 3	82	90	3.47

Jinan Meide - Fig 130R Malleable Iron Reducing Tees

**Reducing On Run
Reducing On Branch & Run**



Increasing On Branch (Bullnose)



Nominal bore		Length Centre to face dim. A	Length to centre to face dim. B	Length to centre to face dim. C	Weight each	Nominal bore		Length Centre to face dim. A	Length to centre to face dim. B	Length to centre to face dim. C	Weight each
Metric	Imperial	mm	mm	mm	kgs	Metric	Imperial	mm	mm	mm	kgs
20x15x15	3/4x1/2x1/2	30	31	28	0.20	40X25X40	1 1/2x1x1 1/2	50	50	46	0.67
20x15x20	3/4x1/2x3/4	33	33	31	0.22	40X32X40	1 1/2x1 1/4x1 1/2	50	50	48	0.72
25x15x15	1x1/2x1/2	32	34	28	0.23	40X25X32	1 1/2x1x1 1/4	45	47	42	0.59
25x20x20	1x3/4x3/4	35	36	33	0.39	40X32X15	1 1/2x1 1/4x1 1/2	36	42	34	0.48
25x15x25	1x1/2x1	32	34	28	0.33	40X32X20	1 1/2x1 1/4x3/4	38	44	36	0.52
25x20x25	1x3/4x1	38	38	36	0.36	40X32X25	1 1/2x1 1/4x1	42	46	40	0.58
25X20X15	1x3/4x1/2	35	36	33	0.36	50X25X25	2x1x1	44	51	38	0.66
32x15x15	1 1/4x1/2x1/2	34	38	27	0.35	50X32X32	2x1 1/4x1 1/4	48	54	45	0.79
32x20x20	1 1/4x3/4x3/4	36	41	33	0.40	50X40X40	2x1 1/2x1 1/2	52	55	50	0.92
32x25x25	1 1/4x1/1	40	42	38	0.43	50X15X50	2x1/2x2	57	57	48	0.69
32x15x32	1 1/4x1/2x1 1/4	45	45	38	0.35	50X20X50	2x3/4x2	58	58	50	0.94
32x20x32	1 1/4x3/4x1 1/4	45	45	41	0.40	50X25X50	2x1x2	58	58	52	1.02
32x25x32	1 1/4x1x1 1/4	45	45	42	0.43	50X32X50	2x1 1/4x2	58	58	54	1.04
32X20X15	1 1/4x3/4x1/2	40	43	37	0.35	50X40X50	2x1 1/2x2	58	58	55	1.09
32X20X25	1 1/4x3/4x1	40	42	36	0.51	50X40X15	2x1 1/2x1 1/2	38	48	36	0.65
32X25X20	1 1/4x1x3/4	36	41	35	0.41	50X40X20	2x1 1/2x3/4	40	50	39	0.65
40x20x20	1 1/2x3/4x3/4	38	43	32	0.44	50X40X25	2x1 1/2x1	44	52	42	0.76
40x25x25	1 1/2x1x1	42	46	38	0.53	50X40X32	2x1 1/2x1 1/4	48	54	46	0.84
40x32x32	1 1/2x1 1/4x1 1/4	46	48	45	0.65	65X50X50	2 1/2x2x2	61	66	57	1.91
40x15x40	1 1/2x1/2x1 1/2	50	50	42	0.61	65X40X65	2 1/2x1 1/2x2 1/2	69	69	64	1.7
40X20X40	1 1/2x3/4x1 1/2	50	50	44	0.63	65X50X65	2 1/2x2x2 1/2	67	67	65	1.91